B&B Wood Products inc.

Catalog 6-BC

See store.bbwood.com for List Prices

Wood Exterior Shutters • PVC Exterior Shutters

- Cafe Doors Hardware

		-	1/s
1		1	
1		-	N.
		1	
		1	-
And and the second		-	I COLUMN TO A
	3000	And in case of	
		1	
-		1	
-			
1111		18 200	
-	-	-	
-		-	
-	3	1	
T		-	
1	300	1	
1		1	
-	10000	1	
		-	
		-	









Interior Shutters

Call

Cafe Doors Page 2-3 **Exterior Shutter Hardware** Page 8 **Exterior Shutter Guide** Page 8 **Exterior Shutter-Wood Exterior Shutter-Urethane** Page 9 Exterior Shutter-PVC Pre-Fin

Hardware

Pages 8

Pages 2-3

- **Pages 4-7**
- Page 6-7

B&B Wood Products inc.

Cafe Doors



855 Pine Subject to Availability Size per Pair 30" (2 dr 15") x 48" high 32" (2 dr 16") x 48" high



875 Meranti Subject to Availability Size per Pair 24" (2 dr 12") x 38" high 32" (2 dr 16") x 38" high 36" (2 dr 18") x 38" high 40" (2 dr 20") x 38" high 42" (2 dr 21") x 38" high 44" (2 dr 22") x 38" high



442 Pine Raised Panel Size per Pair 30" (2 dr 15") x 42" high 32" (2 dr 16") x 42" high 36" (2 dr 18") x 42" high 40" (2 dr 20") x 42" high 48" (2 dr 24") x 42" high

Gravity Pivots - Double Acting

Priced in Section 7 & and store.bbwood.com

Door weight closes door - No springs

SWING and STAY #173



Dull Brass Plated

• 3/4" to 1-3/8" thick • Up to 50 Lb. Includes hinges to do one pair of doors. Clearance needed between jamb & panel

Panel thickness	Side Jamb Clearance
3/4"	1/4"
1-1/8"	3/8"
1-3/8"	1/2"

7512-H PIVOT

2

Satin Brass, Bright Brass, Antique Brass, Satin Bronze, Oil Rub Bronze, Satin Nickel, Antique Nickel, Zinc Plated, Satin Chrome and Flat Black Hold Open at 90 Degrees

- SteelDouble Acting
- Double Acting
 Maximum Door Size 30" & Weight 50 lb.
- Doors 7/8" To 1 5/8" Thick
- Doors //8 1013/8 1110
- Notes: Round jamb edge of door 7/8" radius. Top clearance required 3/4" (5/8" lift). Pivot side of door to jamb requires 5/32". Made in USA.

Spring Hinges - Double Acting

Priced in Section 7 & and store.bbwood.com



1515(H)

Specify (H) for hold open.

Available in: Satin Brass, Bright Brass, Satin Bronze, Zinc Plated and Flat Black

- Max Width 18"; Min Height 42"
- Maximum Weight 18 lb.
- Doors 1-1/16" to 1-1/2" Thick
- Made in USA.

For doors 7/8" thick specify #1514 or #1514H For larger size cafe doors specify 3029-4 or 3029-5.

B&B Wood Products inc. Louver Cafe Doors

1-1/8" thick.* Priced in store.bbwood.com



42" High Pine

1-1/8" thick

Size per Pair 24" (2 dr 12") x 542C 28" (2 dr 14") x 542C 30" (2 dr 15") x 542C 32" (2 dr 16") x 542C 36" (2 dr 18") x 542C 40" (2 dr 20") x 542C 44" (2 dr 22") x 542C 48" (2 dr 24") x 542C

47" High Pine

Size per Pair 28" (2 dr 14") x 547C 32" (2 dr 16") x 547C 40" (2 dr 20") x 547C 48" (2 dr 24") x 547C 60" (2 dr 30") x 547C

Scallop & slats may vary from picture

*Note 47" height is 1-3/8" thick till stock is depleted.

All sizes listed are nominal

Cafe Doors Non-Stock





542A




542F

Available in widths: 30", 32", 36", 40", 48". Height: 42". Thick: 1-1/8" Pine.

Custom Exterior Shutters

Designs with Louvers, Planks, Flat or Raised Panels. Vertical rods are available on louver shutters. Available in Spanish Cedar or low-maintenance materials.

Sample Designs: Other designs are available.



Wood shutters are warranted for workmanship. Wood is a natural material and if not properly maintained will deteriorate and rot. Wood shutters must be primed and painted on all sides with a minimum two coats of paint. Shutters must have a minimum 1/8" between back of shutter and wall for air circulation. Slats on wide shutters may move (warp), this is not considered a defect. Checking, splitting, twisting and warping are natural effects of wood when exposed to the elements. There will be no checks or splits upon delivery of the shutters. To minimize this effect after the product is installed on the exterior please re-paint your shutters as weather conditions dictate.

4 6-BC sales@bbwood



Louver "A" Shutter: Stock

The Style "A" shutter is a classical smaller slat shutter. The "A" shutter is made of clear Ponderosa Pine and it is smoothly sanded. This shutter is ready for paint or stain.

Specifications Stiles: Full 2"; Top Rail: 2" Center Rail: 2 1/4"; Bottom Rail: 4 1/8" Slats: 1 3/16" x 7/32" Overall Thickness: 1 1/8" Construction: Mortise & Tenon All joints fastened with steel pins

Stock Sizes: see store.bbwood.com for a list of current stock sizes.

Widths per shutter: 12", 14", 16", 18", 20", 22", 24"

Heights: 31", 35", 39", 43", 47", 51", 55", 59", 63", 67", *67" Oriel, 71", 75", 79"

*An oriel shutter is designed to align with a double-hung window with top glass height 24", bottom glass 36"

Style A

Pine Special Order Shutters




Plantation: 1-3/4" Slat

Raised Panel

Shutters on this page can be ordered in Spanish Cedar: request a quote.

Exterior Composite Pre-Finish Shutters

Architectural (Louver, Panel and Bahama), Classic (Louver, Panel and Board & Batten), PVC (Louver, Panel and Board & Batten): Hardware sold separately (required on Arch. & Classic for warranty) for fixed and operable applications.



Options to above Designs: Most options apply to Architectural Series.

Louver: Faux Tilt Rod; Arch Tops; Vertical Mulls; Added or Moved Cross Rails; Rabbeted Edge; Butt Hinge Edge; Wide louvers Panel: Raised, Flat or Flat with V-Groove Panels; Arch Tops; Added or moved cross rails; Rabbeted Edge; Butt Hinge Edge Board Batten: Added Battens; Custom Designs; Added Cross Rails; Narrow Louvers


Color Options: See bbwood.com for pictures of colors.

Black, Board And Batten Red, Bordeaux, Canyon, Cascade, Deep, Sea Blue, Driftwood, Evergreen, Federal Brown, Forest Green, Harbor, Midnight Sky, Pewter, Pine, Plum Creek, Prime, Redwood, Sand, Walnut, White, Wineberry. CUSTOM COLORS ARE AVAILABLE!

Materials:

Architectural: Stiles and Louvers - Marine grade fiberglass. Panels - Made from a proprietary composite wood material that is moisture, rot and termite resistant. Rails - Uses Structural grade PVC.


Classic: Made from a proprietary composite wood material that is moisture, rot and termite resistant.



Warranty: ARCHITECTURAL: Limited lifetime structural component warranty against, cracking, splitting, rotting and excessive warping to original purchaser. Fifteen-year factory paint finish warranty against peeling or flaking. CLASSIC (10yr) & Pro (3yr): Structural component warranty against, cracking, splitting, rotting and excessive warping. Classic Ten-year factory paint finish warranty against peeling or flaking. PVC: Ten-year structural component warranty against, cracking, splitting, rotting and excessive warping. Ten-year factory paint finish warranty against peeling or flaking. Full copy of warranty is at bbwood.com. A warranty card must be filed with the factory.

Urethane Exterior Shutters

Double-Primed with an exterior-grade ultraviolet stable coating, which can be painted to achieve desired color. For decorative use only. The back of the shutters are flat. Sold in pairs only. Priced in Fypon catalog.



WoodGrain Shutters SH_RS

Plank Shutters feature realistic Cedar Wood-grain texture on all visible surfaces. Ready for paint. Widths: 12", 14", 18" & 24". Heights 24" - 120" available in 1" increments.

Board & Batten - 2, 3 or 4 boards wide with 2 or 3 battens



T





SH2PC#RS

SH3PC#RS

SH2PEBC#RS

SH2PZC#RS

SH2PHLRC#RS

Plank: Spaced Boards - 2, 3 or 4 boards wide with 2 or 3 battens















SH2PO#RS

SH2P3B# RS Store.bbwood.com

SH3PO#RS


SH4PO#RS 216-292-6555

SH2PZ#RS SH2PD#RS sales@bbwood

S SH3PE#RS 6-BC

Shutter Hinges & Pintels





For shutters hung flush with casing. Pintel permits easy hanging and removal of shutters. Hinge measures 4-1/4" vertical and 5" horizontal. Pintel plate 3-1/8" x 1-1/8". Each set contains 2 pair of hinges.

Specify <u>AK1</u> for 1-1/4" offset, 2-1/2" reveal: Use on frame construction. Specify AK2 for 2-1/4" offset 4-1/2" reveal: Use on brick construction.

Butt Hinge Style



Hinge is reversible with loose pin. It is made with curved offset to throw shutter clear of window. Hinge width should be equal to twice the depth of the reveal. Sold in pairs (2 pairs required per window)

> RK1: 3x4 Maximum Throw 1-1/2" RK2: 3x5 Maximum Throw 2-1/2" RK3: 3x6 Maximum Throw 3-1/2"

Connecticut Shutter Hinge:



<u>AK3</u>: 4" flat AKA: 5-1/8" w/2-3/16" offset AKM: 5-1/8" w/1-1/4" offset AKB: 6-7/8" flat

Adjustable Pintel



Adjustable pintel for a wide variety of shutter applications. Pintel and plate are stainless steel. Measurements from center of pintel.

AKE: Backplate 1 ¹/₂" x 4 ¹/₂"; Pintel 4-7/8" x 3/8" x 1-9/16" H

Strap Hinge Style



Stainless steel strap hinge with adjustable pintels. Hinges are reversible. Sold EACH (4 required per window) AKF: Flush, 13-3/8" strap length AKG: 1 ¹/₄" offset, 13" Strap length AKH: 2 1/4" offset, 12 1/4" Strap length For Dummy Strap Hinges see Section "B"

Shutter Holdbacks **Rat's Tail**

Acorn Catch



"S" Shutter

Aluminum with 4" stainless steel lag. Sold in Pairs. AK4 7" x 2-3/8"

Steel with 4" stainless steel lag screw. Sold in Pairs. AKC 5-3/4" x 1-3/8"

Shutter Bolts

Shutter Bolt:



RL9BP:

8

Overall Bolt Length: 6-5/8" Back Plate: 6-7/8" x 1-11/16" Surface Strike: 3-1/4" x 1-11/16" Screws are Stainless Steel



9/16" x 1-1/4" long

The Bullet is solid brass .

Catch is stainless steel.

AKZ 9/16" x 1-1/4"

RLABP: Overall Bolt Length: 6" Back Plate: 2-1/4" x 1-1/4" Stainless Steel Screws included.