9E: Wood Exterior Posts and Gingerbread Pricing at store.bbwood.com



Pages
2-3
4
HBG
HBG
HBG
HBG
5
HBG
HBG
6
7



Porch Ceiling - HBG

Fiberglass Columns & Porch: see HBG

B&B Wood Products inc. Exterior Wood Porch System


Parts are kiln-dried softwood and ready to paint. Rail is fingerjointed. Order top rail fillet separately. Newels are laminated. See option for balusters and newels dip-treated with "Wood-Life". Top and bottom of balusters, bottom of newels and ends of rail must be sealed (primer is not a seal) after cutting to size and BEFORE installation. If staining use a minimum of three coats of polyurethane or marine varnish.

Balusters	H-Series	Size	Turning Length]				
Dalusters		1-5/8" x 7.5"	4-7/8"	-	Newels		Item #	Colonial (CL)
	H212			0			40001	0.4/48 0.4/48 0.08
	H218	1-5/8" x 18"	8-1/4"	- 8	Ă		460CL	3-1/4" x 3-1/4" x 60"
	H224	1-5/8" x 24"				10	560CL	4-1/4" x 4-1/4" x 60"
a	H232	1-5/8" x 32"	14-3/4"	8	10.00		Item #	Hampton (HN)
	H236	1-5/8" x 36"						
	H312	2-5/16" x 12		1	1		560HN	4-1/4" x 4-1/4" x 60"
	H318	2-5/16" x 18	" 8-1/4"	<u> </u>				
	H324	2-5/16" x 24			100			
	H332	2-5/16" x 32	" 14-3/4"				Item #	S4S
X	H336	2-5/16" x 36	,					
	H412	3-1/4" x 12"	8-1/4"				560S4S	4-1/4" x 4-1/4" x 60'
	H418	3-1/4" x 18"	8-1/4					
	H424	3-1/4" x 24"			2.			
	H432	3-1/4" x 32"	14-3/4"	Colonial	Hampton	S4S		
	H436	3-1/4" x 36"						
	• • • • •	• • • • •	· · · · · · · · · · · · · · · · · · ·	••••••	• • • • • • •	• • • •	• • • • •	• •
	and the second s		Top Rat	II HT3				
		1-	п12 5/8" Plow :	2-5/16" Plow :	Item	# De	scription	
Carl		and the second se	/4" x 2-1/2"	1-1/4" x 3-1/2"	HT2		p rail 2-1/2"	
	A CONTRACT OF		Fillet		HF2	Fil	let for HT2 r	ail
			HF2	HF3	HB2	Во	ttom rail 2-5	5/8"
		1/-	4" x 1-5/8"	1/4" x 2-5/16"	НТЗ	То	p rail 3-1/2"	
	-		Exterior Bo		HF3	Fil	let for HT3 r	ail
			HB2	HB3	НВЗ	Во	ttom rail 3-1	/4"
hard a strength		1-1	/8" x 2-5/8"	1-1/8" x 3-1/4"				
Extor	ion De	sint C	rada Wa	ad Daat '	Topo			



Custom Exterior Wood Balusters

Choose a design listed below or send us a picture and we can turn it into your "dream porch". We can manufacture balusters in any wood specie. All of our balusters can be treated with "Wood-Life" preservative as an option. To extend the life of your wood balusters please finish them after cutting to size and before installation. We recommend using wood balusters with our urethane top and bottom rails shown on page 31 and at the bottom of this page.



B&B Wood Products inc. Round Wood Columns - Paint Grade Exterior



Shafts are paint grade and manufactured from solid staves with finger-joint and/or edge gluing. Caps & bases are polyurethane (wood as an option with no warranty)

Limited One year warranty if installed per installation instructions. See store.bbwood.com

Fluting begins about 4-1/2" below the neckmold, and ends approximately 8" above the base. Custom fluting is available.


	Structural Load	Inside Di	mension
Diam	Lbs.	At Bottom	At Top
6	2000	3-1/8"	1-3/4"
8	3200	4-3/8"	3-1/2"
10	4200	6-3/4"	5-1/2"
12	5100	9-3/8"	7-1/8"

Caps & Bases for Wood Round Columns


Standard caps and bases are polyurethane. Wood caps and bases are available but column warranty is void. Aluminum plinths should be used with wood bases.



Poly Standard Base



Attic Poly Base



Aluminum Plinth

		Poly	Std	Poly .	Attic
		Width @ base	Height of Base	Width @ base	Height of Base
Ì	6	7-1/4	3-3/16	-	-
	8	9-1/4	3-1/4	10-1/4	5-1/8
	10	11-1/4	3-1/4	13	6-1/2
	12	13-1/8	3-1/4	16	7-1/2

Ornamental Urethane Caps



Greek Ionic 9E



Roman Ionic store.bbwood.com



Scamozzi 216-292-6555



ants on a

Roman Corinthian Temple of the Winds sales@bbwood.com

B&B Wood Products inc. Wood Porch Posts

Posts are FJ laminated & require use of Aluminum Plinths or Quick Mount fasteners. Wood posts may be primed at manufacturer's option.

Custom Porch Posts

		-			-
Load Data		8'	9'	10'	Net widths
Wood #100	4"	3000	3000	3000	3-1/4"
	5"	6000	6000	6000	4-1/4"
	6"	7500	7500	7500	5-1/4"

Specifications:		Head	Turning	Base
#100 Wood	-8'	12"	40"	32"
	-9'	24"	40"	44"
	-10'	24"	40"	56"



Quick Mount & Aluminum Plinths

An aluminum plinth (fasteners not included) or a Quick-Mount Fastener should be used on all wood porch posts.

The Aluminum Plinth is a quick and easy way to ensure that your posts are installed correctly. The plinth protects the post from moisture and connects it to the structure.

The Quick-Mount[™] Porch Post Fasteners provide a ventilating moisture barrier between the post and ground. They prevent water damage and increase the life of the post by many years. They can be installed directly into wood or concrete and they securely fasten the post in seconds. Please note that this item is not suitable for applications where special anti-uplift requirements apply.

Aluminum Plinths	Item
4" (3-1/4" wide)	1070
5" (4-1/4" wide)	1080
6" (5-1/4" wide)	1090
Quick-Mount	
4"	17004
5"	17005
6"	17006
	sales@bbwoo

Aluminum Plinth

<u>;</u>

Ouick-Mount



216-292-6555

d.com

store.bbwood.com

9E

MoreCustom Porch Posts



9E

Victorian Gingerbread

Exterior use of these products requires proper sealing, painting or staining.

SPINDLE FAN BRACKET - Unfinished in Alder, Cherry, Maple, Red Oak, and Rubberwood



BKT171091 1-1/2" x 8-1/2"H x 6"

SPANDREL




BKT171079 1-1/2" x 12" sq.



BKT171085 1-1/2" x 7" sq.

	Depth x Width x Height
CS-48	2-5/8" X 48" X 9"
CS-72	2-5/8" X 72" X 9"
BKT171091	1-1/2" x 8-1/2"H x 6"
BKT171079	11/2" x 12" sq.
BKT171085	1-1/2" x 7" sq.
SD-6	1/2" X 5-1/2" X 5-1/2"
SD-7	1/2" X 6-1/2" X 7"
SD-8	1/2" X 7-3/4" X 7-3/4"
SD-10	1/2" X 6-1/4" X 6-1/4"
SD-34	1/2" X 34" X 4"
SD-35	1/2" X 34" X 7-1/2"




CS spindles are treated Hemlock. Top/bottom rail are PVC

CS-48 (48"W x 9"H x 2-5/8")

CS-72 (72"W x 9"H x 2-5/8") [longer lengths available] Spindles 6" on center

SCREEN DOOR TRIM - Wood



SD-35 1/2" x 34"W x 7-1/8"H SD-34 1/2" x 34"W x 4"H - Subject to Stock





SD-6 1/2" x 5-1/2" x 5-1/2"



Note: the CS spandrel must be secured to the soffit or header to prevent sagging.

Distributed By:

\$2 Catalog List Price

@ B&B Wood Products, Inc 2018 All rights reserved