

StairTrends®

QUALITY
HARDWOOD
AND
IRON
**STAIR
PARTS**

COMPLETE
STAIRCASE
SYSTEMS

step up

TO STAIRTRENDS®



ON THE LEVEL™

the bottom square of the baluster and the turned portion aligns on each tread. Balusters have a fixed dowel pin and should be trimmed from the top.



ON THE RISE™

the bottom square and the turned portion of the baluster align with the rake (rise) of the stairway. These balusters have a loose dowel pin and should be trimmed from the bottom. The turned portion of the baluster remains the same for all baluster sizes.



Inside This Catalog

Starting a Staircase System 3
Post to Post..... 4
Over the Post..... 5
Baluster Index.....6-7

Standard Hardwood Baluster & Post Selections

Colonial Series8-9
 Traditional Series..... 10-11
 Hampton Series 12-13
 Tulliere Series 14-15
 Morning Glory Series..... 16-17
 Contemporary Series..... 18-19

Box Newels

Box Newels..... 20-23

Limited Reserve Collection

Country Woods Series..... 24-25
 Byron Series..... 26-27
 Kings Court Series 28-29
 Malvern Series.....30-31
 Mercer Series 32-33
 Woodbury Series 34-35
 Lomond Series 36-37
 Sussex Series..... 38-39
 Baluster Panels..... 40

Iron Balusters

Finishes 42

1/2" Square Iron Balusters

Iron Panels.....42-43
 Designer Square Series 44
 Knuckle Square Series 44
 Twist & Basket Square Series 45
 Scroll & Wave Square Series46
 Ribbon Square Series 47
 Belly Balusters - 40" Series48
 Liberty Series48
 Square Knee Wall - 36" Series.....49

9/16" Square Iron Balusters

Gothic Hammered Series50
 Santa Fe Forged Hammered Series.....50
 Ball Forged Hammered Series50
 Old English Forged Hammered Series 51
 Scroll Forged Hammered Series 51
 Tudor Forged Hammered Series 51

Round Iron Balusters

Roman Round 1/2" Series 52
 Gothic Round 9/16" Series 52
 Venetian Series 5/8" Series 53

Iron Newels

Matching Iron Newels53

3/4" Square Iron Balusters

MEGA Square Series..... 54

Iron Accessories

Handrail Brackets43, 62
 Knuckles 44
 Iron Shoes 1/2" Square..... 45
 Installation Products 47
 Iron Shoes Universal 1/2" & 9/16" Sq.....48
 Iron Shoes 9/16" Square50
 Iron Shoes 1/2" & 9/16" Round.....52
 Iron Newel Kit & 5/8" Shoes.....53
 Iron Shoes MEGA 3/4" Square..... 54

Wood Accessories

Handrails.....56
 Handrail Fittings 57-58
 Wall Rails, Rosettes & Rail Accessories ...59
 Starting Steps.....60
 Treads, False Ends & Mouldings..... 61
 Installation Hardware 62-63

STARTING A STAIRCASE SYSTEM

step 1

The first step in creating your stair system is choosing between an "over the post" or a "post to post" system (see pages 4 and 5).



step 2

Choose a wood or metal baluster design from pages 6 and 7.



step 3

Move to the catalog page that features that baluster. For wood balusters choose a rail from the list on the left side of each baluster page. For metal balusters choose a rail from page 56.



step 4

Choose your newels pictured with the baluster designs.



step 5

If your stair begins with a starting step go to page 60.

www.stairtrends.com

step 6


If you chose the "Over-the-Post" system then select the appropriate fittings from page 57.



StairTrends®

SELECTION GUIDE

POST TO POST



Post to Post Configurations

Starting Newels



Starting Newel
no Fitting




Starting Newel
with Fitting

Landing and Angle Newels




Landing Newel
(14" Square)
no Fitting




Angle Newel
(5" Square)
with Fitting

2nd Floor Newels



2nd Floor Newel
(11" Square)
no Fitting



Starting Newel
at 2nd Floor
(5" Square) with Fitting

Wood Specie Selection




Alder



Beech



Brazilian Cherry



Cherry




Hickory



Hard Maple



Mahogany



OVER THE POST

Handrail Fittings



LH Volute



LH Turnout




Starting Easing



Maple



Oak (Red)




Poplar



Prime



White



Walnut




White Oak

WOOD BALUSTER INDEX

ON THE LEVEL Model #'s are in white

ON THE RISE Model #'s are in yellow



B1075	B1175	B1265	B1275	B1465	B1465-F	B1475	B1475-F	B1465-R	B1475-R	B4205	B4225	B5230	B4235	B4230	B4240	B4241	B4245	B4255	B4255-C
1 1/4" sq	1 3/4" sq	1 1/4" sq	1 1/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 1/4" sq	1 1/4" sq	1 1/4" sq	1 1/4" sq	1 1/4" sq	1 1/4" sq	1 1/4" sq	1 1/4" sq	1 3/4" sq	1 3/4" sq
Pg 16	Pg 16	Pg 16	Pg 16	Pg 16	Pg 16	Pg 16	Pg 16	Pg 16	Pg 16	Pg 8	Pg 10	Pg 10	Pg 10	Pg 12	Pg 10	Pg 8	Pg 18	Pg 18	Pg 18




B4255-F	B4255-CF	B4255-FG	B4255-9P	B4256	B4258	B4266	B5058	B4265	B5067	B5070	B4275	B4305	B4341	B4266-O	B4275-O	B4565	B4575	B4565-T	B4575-T	B4565-F	B4575-F	
1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 1/4" sq	1 1/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq	1 3/4" sq
Pg 18	Pg 18	Pg 18	Pg 18	Pg 18	Pg 18	Pg 12	Pg 10	Pg 12	Pg 12	Pg 12	Pg 8	Pg 8	Pg 8	Pg 12	Pg 12	Pg 14	Pg 14	Pg 14	Pg 14	Pg 14	Pg 14	Pg 14


IRON BALUSTER INDEX




1BASK44	1BASK-BLY	1KNUC44	1RIB44	1TW40-BLY	1TW22	1TW44	2BASK44	2KNUC1BASK44	2KNUC44	2RIB44	2TW44	M10044	M11044	M13144	M13244	M13344	M13444	M14044
1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	9/16"	9/16"	9/16"	9/16"	9/16"	9/16"	9/16"
Pg 45	Pg 48	Pg 44	Pg 47	Pg 48	Pg 45	Pg 45	Pg 45	Pg 44	Pg 44	Pg 47	Pg 45	Pg 50	Pg 50	Pg 51	Pg 51	Pg 51	Pg 51	Pg 50



M14344	M15044	M16044	M301	M30344	M305	M308	M310	M331	M39944	M40144	M40244	M41144	M435	M438	M439	M436	M501	M55541
9/16"	9/16"	9/16"	1/2"	9/16"	9/16"	9/16"	9/16"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
Pg 50	Pg 50	Pg 50	Pg 46	Pg 51	Pg 50	Pg 50	Pg 50	Pg 46	Pg 42	Pg 44	Pg 44	Pg 44	Pg 48	Pg 48	Pg 48	Pg 48	Pg 46	Pg 43




BY05 1 3/4" sq Pg 26
 BY15 1 3/4" sq Pg 26
 BY25 1 3/4" sq Pg 26
 BY06 2" sq Pg 26
 BY26 2" sq Pg 26
 CW05 1 3/4" sq Pg 24
 CW15 1 3/4" sq Pg 24
 CW15E 1 3/4" sq Pg 24
 KC05 1 3/4" sq Pg 28
 KC15 1 3/4" sq Pg 28
 KC05-R 1 3/4" sq Pg 28
 KC15-R 1 3/4" sq Pg 28
 LM05 1 3/4" sq Pg 36
 LM15 1 3/4" sq Pg 36
 ME05 1 3/4" sq Pg 32
 ME15 1 3/4" sq Pg 32
 ME05-1TW 1 3/4" sq Pg 32
 ME15-1TW 1 3/4" sq Pg 32



MV05 1 3/4" sq Pg 30
 MV15 1 3/4" sq Pg 30
 MV05-SQ 1 3/4" sq Pg 30
 MV05-2RIB 1 3/4" sq Pg 30
 MV15-2RIB 1 3/4" sq Pg 30
 SS05 1 3/4" sq Pg 38
 SS05-1BAR 1 3/4" sq Pg 38
 SS05-1RIB 1 3/4" sq Pg 38
 WB05 1 3/4" sq Pg 34
 WB15 1 3/4" sq Pg 34
 WB05-2BAR 1 3/4" sq Pg 34
 WB15-2BAR 1 3/4" sq Pg 34
 WB05-2RIB 1 3/4" sq Pg 34
 WB15-2RIB 1 3/4" sq Pg 34
 WB05-3RIB 1 3/4" sq Pg 34
 WB15-3RIB 1 3/4" sq Pg 34



M601 1/2" Pg 46
 M8044 1/2" Pg 47
 M8544 1/2" Pg 47
 M9044 9/16" Pg 50
 MDS 1/2" Pg 46
 MSS 1/2" Pg 46
 MEGA-PLA 3/4" Pg 54
 MEGA-1TW 1/2" dia Pg 54
 MEGA-2TW 1/2" dia Pg 54
 MEGA-1BASK 1/2" dia Pg 54
 MEGA-2BASK 1/2" dia Pg 54
 MEGA-M501 3/4" Pg 54
 MEGA-M601 3/4" Pg 54
 MEGA-1KNUC 3/4" Pg 54
 MEGA-2KNUC 3/4" Pg 54
 NWL-14048 1-3/16" Pg 53
 NWL-BASK48 1-3/16" Pg 53
 NWL-TW48 1-3/16" Pg 53



PLA44 1/2" Pg 45
 PLA40-BLY 1/2" Pg 48
 R54044 9/16" dia Pg 52
 R54344 9/16" dia Pg 52
 R55044 9/16" dia Pg 52
 R60044 1/2" dia Pg 52
 R60144 1/2" dia Pg 52
 R60244 1/2" dia Pg 52
 R61144 1/2" dia Pg 52
 R61244 1/2" dia Pg 52
 R65044 5/8" dia Pg 53
 R65244 5/8" dia Pg 53
 R65644 5/8" dia Pg 53
 R65844 5/8" dia Pg 53
 R94344 5/8" dia Pg 53
 R94544 5/8" dia Pg 53
 R94844 5/8" dia Pg 53
 RENPANEL 1/2" Pg 43
 WAVE44 1/2" Pg 46

Handrails



B5000 (C6601)



B5100 (C6109)



B5200 (C6010)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5500 (C6701)



B5700 (C6710)



B5900 (C6910)

BALUSTERS



ON-THE-LEVEL	B4205	B4241	B4305	B4341
ON-THE-RISE	B5015	B5141	-	-
Thickness (Square)	1 1/4"	1 1/4"	1 3/4"	1 3/4"

Options:
Fluting add -F
Reeded add -R

Fluted



-F

Reeded



-R



ON THE LEVEL™ Available Lengths:
31", 34", 36", 39",
and 42"

The turned area of the baluster increases with the baluster height. The size of the bottom square (includes fixed pin) remains the same for all baluster heights. Trim balusters from the top.



ON THE RISE™ Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

RAIL SPECIFICATIONS
See page 56

Bottom Rails

B5211 (C6050)

1 1/4"

B5260 (C6007)


1 3/4"

B6111 (C6000F)

1 1/4"

B5260 (C6007)

1 3/4"



B5210 (C6045)



B5241 (C6006)



B6125 (C6000S)



B6175 (C6001S)

Over the Post

NEWELS

Height (H)	Bottom Block (B)	Plain	
43"	15"	B3200A (4010)	STARTING
48"	20"	B3201 (4014)	
62"	34"	B3210A (4015)	LANDING
72"	44"	B3227 (4018)	INTERMEDIATE LANDING

Rake Newel
STARTING
B320-PIN (4013)

VOLUTES/TURNOUTS

VOLUTE/TURNOUT
(Adjustable)
B3221C

Post to Post



Starting newel w/fitting



Newels with an 11" top square are for 2nd floor landings when NOT using fittings. Balcony rail heights will be 36" when using this newel.



Starting newel no fitting



Angle newel w/fitting



Newels with an 14 1/2" top square are for intermediate landings when NOT using fittings or for 2nd floor landings and balcony rail heights over 36".

Height (H)	Bottom Block (B)	
48"	19 1/2"	B3180 (4180-MT)
56"	25 1/2"	B3182 (4182-MT)
72"	43 1/2"	B3195 (4195-MT)

STARTING
INTERMEDIATE LANDING

2ND FLOOR
B3185 (4185-MT)

INTERMEDIATE LANDING
B3186 (4186-MT)

NOTE: Alternate model numbers in (italics)

Specifications for Oak and Poplar. See stairtrends.com for all other species.

Handrails



B5000 (C6601)



B5100 (C6109)



B5200 (C6010)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5500 (C6701)



B5700 (C6710)



B5900 (C6910)

RAIL SPECIFICATIONS
See page 56

BALUSTERS



ON • THE • LEVEL	B4225	B4235	B4240	-	-	-
ON • THE • RISE	-	-	-	B5240	B5067	B5230
Thickness (Square)	1 1/4"	1 1/4"	1 1/4"	1 5/8"	1 1/4"	1 1/4"

Options:
Fluting add -F
Reeded add -R

Fluted



-F

Reeded



-R



ON THE LEVEL™ Available Lengths:
31", 34", 36", 39",
and 42"

The turned area of the baluster increases with the baluster height. The size of the bottom square (includes fixed pin) remains the same for all baluster heights. Trim balusters from the top.



ON THE RISE™ Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Bottom Rails

B5211 (C6050)

B5260 (C6007)

B6111 (C6000F)

B5260 (C6007)



B5210 (C6045)




B6125 (C6000S)



B6175 (C6001S)


Over the Post

NEWELS



Height (H)	Bottom Block (B)	Plain	
48"	16 ³ / ₁₆ "	B3207A	STARTING
62"	30 ³ / ₁₆ "	B3217A	LANDING
72"	40 ³ / ₁₆ "	B3218A	INTERMEDIATE

VOLUTES/TURNOUTS



Height	Bottom Block	Turning	Plain
VOLUTE/TURNOUT (Adjustable)			
48"	15"	27"	B3260C

Post to Post

Acorn Top

48"

3"

Acorn Top
STARTING
B3242-AC

Ball Top

48"

3"

Ball Top
STARTING
B3242

Mushroom Top

5"

23 1/4"

(H)

(B)

3"

Height (H)	Bottom Block (B)	Mushroom Top	Ball Top
STARTING			
48"	20"	B3240 <i>(4040-MT)</i>	B3204 <i>(4040-BT)</i>
56"	28"	B3241 <i>(4042-MT)</i>	B3211 <i>(4042-BT)</i>
INTERMEDIATE LANDING			
72"	44"	B3255 <i>(4055-MT)</i>	B3215 <i>(4055-BT)</i>

Ball Top

3"

Mushroom Top

11"

18 1/4"

62"

30"

3"

Mushroom Top
2ND FLOOR
B3244

Mushroom Top

11"

23 1/4"

62"

26 1/4"

3"

Mushroom Top
2ND FLOOR
B3245
(4045-MT)

Ball Top

14 1/2"

18 1/4"

62"

28 1/4"

3"

Ball Top
2ND FLOOR
B3214
(4045-BT)

Mushroom Top

14 1/2"

18 1/4"

62"

28 1/4"

3"

Mushroom Top
INTERMEDIATE LANDING
B3246
(4046-MT)

Ball Top

14 1/2"

18 1/4"

62"

28 1/4"

3"

Ball Top
INTERMEDIATE LANDING
B3213
(4046-BT)

NOTE: Alternate model numbers in (italics)

Specifications for Oak and Poplar. See stairtrends.com for all other species.

Handrails



B5000 (C6601)



B5100 (C6109)



B5200 (C6010)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5500 (C6701)



B5700 (C6710)



B5900 (C6910)

RAIL SPECIFICATIONS
See page 56

BALUSTERS




ON - THE - LEVEL	B4230	-	B4266	B4275	B4266-O	B4275-O
ON - THE - RISE	B5030	B5070	B4265*	B5300	B4265-O	B5300-O
Thickness (Square)	1 1/4"	1 1/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"

B4266 and B4275 may be ordered in 2" thickness: specify B4366 and B4375.



ON THE LEVEL™ Available Lengths: 31", 34", 36", 39", and 42"

The turned area of the baluster increases with the baluster height. The size of the bottom square (includes fixed pin) remains the same for all baluster heights. Trim balusters from the top.



ON THE RISE™ Available Lengths: 34", 38", and 42"
*(B4265 balusters also available in 30" and 36" for stringer applications)

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Options:
Fluting add -F



DIVIDER SPINDLE
-Available in 1 3/4" x 48"

B4265-48

Bottom Rails



B5211 (C6050)

1 1/4"

B5260 (C6007)

1 3/4"

B6111 (C6000F)

1 1/4"

B5260 (C6007)

1 3/4"

B5210 (C6045)


B5241 (C6006)

B6125 (C6000S)


B6175 (C6001S)

Over the Post

NEWELS




Rake Newel
STARTING
B329-PIN (4273)



Height (H)	Bottom Block (B)	Plain	Octagon
STARTING			
43"	16 1/4"	B3298 (4270)	B3298-O (4270-OCT)
48"	21 3/4"	B3298C (4274)	B3298C-O (4274-OCT)
LANDING			
62"	35 1/4"	B3296 (4275)	B3296-O (4275-OCT)

VOLUTES/TURNOUTS



Plain **Octagon**
VOLUTE/TURNOUT (Adjustable)
B3294C B3294C-O

Post to Post

AC (suffix) Spade Top

COL (suffix) Colonial Top

RT (suffix) Round Top

Available post tops for B3289, B3290, B3291. Include the suffix after the model number when ordering.

Height (H)	Bottom Block (B)	Plain	Octagon
STARTING			
48"	20 1/8"	B3292 (4500-BT)	B3292-O (4500-BT-OCT)
2ND FLOOR			
56"	28 1/8"	B3299 (4504-BT)	B3299-O (4504-BT-OCT)
INTERMEDIATE LANDING			
72"	44 1/8"	B3299C (4555-BT)	B3299C-O (4555-BT-OCT)

Height (H)	Bottom Block (B)	Plain	Octagon
2ND FLOOR			
56"	23 5/8"	B3293 (4503-BT)	B3293-O (4503-BT-OCT)
INTERMEDIATE LANDING			
72"	36 1/8"	B3295 (4505-BT)	B3295-O (4505-BT-OCT)

Newels may be ordered 3" thick (example: B3292-030)
Specifications for Oak and Poplar. See stairtrends.com for all other species.

NOTE: Alternate model numbers in (italics)

Handrails




B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)




B5700 (C6710)



B5900 (C6910)

RAIL SPECIFICATIONS
See page 56

BALUSTERS




ON • THE • LEVEL	B4575	B4575-O	B4575-TUF	B4575-F	B4565	B4565-O	B4565-TUF	B4565-F
ON • THE • RISE	B2015-P	B2015-O	B2015-TUF	B2015-F	B2005-P	B2005-O	B2005-TUF	B2005-F
Thickness (Square)	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"



ON THE LEVEL™ Available Lengths:
31", 34", 36", 39",
and 42"


The turned area of the baluster increases with the baluster height. The size of the bottom square (includes fixed pin) remains the same for all baluster heights. Trim balusters from the top.



ON THE RISE™ Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Bottom Rails



Over the Post

NEWELS

Height (H)	Bottom Block (B)	Plain	Octagon	Twist	Fluted	
43"	15"	B3500 (3010)	B3500-O	B3500-TUF	B3500-F	STARTING
48"	20"	B3500C (3014)	B3500C-O	B3500C-TUF	B3500C-F	LANDING
56"	28"	B3510 (3015)	B3510-O	B3510-TUF	B3510-F	INTERMEDIATE LANDING
72"	44"	B3527 (3018)	B3527-O	B3527-TUF	B3527-F	

Rake Newel
STARTING
B35-PIN (3013)

VOLUTES/TURNOUTS

Plain **B3560C**
Octagon **B3560C-O**
Twist **B3560C-TUF**
Fluted **B3560C-F**

VOLUTE/TURNOUT (Adjustable)
B3560C

Post to Post

Height (H)	Bottom Block (B)	Plain	Octagon	Twist/UF	Fluted
STARTING					
48"	15"	B3540 (3040)	B3540-O	B3540-TUF	B3540-F
56"	23"	B3542 (3042)	B3542-O	B3542-TUF	B3542-F
INTERMEDIATE LANDING					
72"	39 1/2"	B3555 (3055)	B3555-O	B3555-TUF	B3555-F

B3545

Plain **B3545** (3045)
Octagon **B3545-O**
Twist/UF **B3545-TUF**
Fluted **B3545-F**

B3546

Plain **B3546** (3045)
Octagon **B3546-O**
Twist/UF **B3546-TUF**
Fluted **B3546-F**

Plain
2ND FLOOR
B3545 (3045)

Plain
INTERMEDIATE LANDING
B3546 (3046)

NOTE: Alternate model numbers in italics

BALUSTERS

Handrails



B5000 (C6601)



B5100 (C6109)



B5200 (C6010)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5500 (C6701)



B5700 (C6710)



B5900 (C6910)

RAIL SPECIFICATIONS
See page 56



B1075
1 1/4" Sq

B1275
1 1/4" Sq

B1175
1 3/4" Sq

B1475
1 3/4" Sq

B1475-R
1 3/4" Sq

B1265
1 1/4" Sq

B1465
1 3/4" Sq


B1465-R
1 3/4" Sq



ON THE RISE™

Available Lengths:
34", 38", and 42"

Options:
Fluting add -F
Reeded add -R



Bottom Rails

B5211
(C6050)

1 1/4"



B5210
(C6045)

B5260
(C6007)

1 3/4"



B5241
(C6006)

B6111
(C6000F)

1 1/4"



B6125
(C6000S)

B5260
(C6007)

1 3/4"



B6175
(C6001S)

Over the Post

NEWELS

Height (H)	Bottom Block (B)	Plain	Reeded	
48"	24"	B3001 (3314)	B3001-R (3314-R)	STARTING
58"	34"	B3010 (3315)	B3010-R (3315-R)	LANDING
72"	48"	B3027 (3318)	B3027-R (3318-R)	INTERMEDIATE

VOLUTES/TURNOUTS

Height (H)	Bottom Block (B)	Plain	Reeded	
43"	19"	VOLUTE/TURNOUT(Adjustable)	B3021C-R	STARTING
		B3021C		LANDING
				INTERMEDIATE

Newels may be ordered 3" thick (example: B3001-030)

Post to Post

Height (H)	Bottom Block (B)	Plain	Reeded	
48"	14 1/2"	B3040 (3340BT)	B3040-R (3340BT-R)	STARTING
58"	24 1/2"	B3042 (3342BT)	BE3040-R (3342BT-R)	LANDING
72"	39 1/2"	B3055 (3355-BT)	B3055-R (3355-BT-R)	INTERMEDIATE

Height (H)	Bottom Block (B)	Plain	Reeded	
58"	22"	B3045 (3345-BT)	B3045-R (3345-BT-R)	2ND FLOOR
72"	36 1/2"	B3046 (3346-BT)	B3046-R (3346-BT-R)	INTERMEDIATE LANDING



Reeded or Plain

Newels may be ordered 3" thick (example: B3040-030)

NOTE: Alternate model numbers in (italics)

Rails



B5235



B5255 (C6003)



B5275 (C6203)



B5285



B6100 (C6002)





B6100P

(C6000 Plow 1 3/4")
(C6001 Plow 1 3/4")

BALUSTERS

	Chamfered	Fluted	Chamfered & Fluted	Chamfered & Grooved	Chamfered, Fluted & Grooved	Fluted & Grooved	6 V-Grooved	9 V-Grooved	Beeded Corner			
Thickness	1 1/4"	B4245	B4245-C	B4245-F	B4245-CF	B4245-CG	B4245-CFG	B4245-FG	B4245-6P	-	B4245-9P	B4245-BC
	1 3/4"	B4255	B4255-C	B4255-F	B4255-CF	B4255-CG	B4255-CFG	B4255-FG	B4255-6P	B4255-9P	B4255-BC	

BALUSTERS



Optional Baluster Base

ON THE LEVEL™ Available Lengths:
31", 34", 36",
39", and 42"

The turned area of the baluster increases with the baluster height. The size of the bottom square (includes fixed pin) remains the same for all baluster heights. Trim balusters from the top.

ON THE RISE™ Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

ON - THE - LEVEL	B4256	B4256	B4257	B4258
ON - THE - RISE	-	-	B5057	B5058
Thickness (Square)	1 3/4"	1 3/4"	1 3/4"	1 3/4"


RAIL SPECIFICATIONS
See page 56

Bottom Rails




Post to Post


NEWELS



Height (H)	Bottom Block (B)	Plain	
47"	44 1/4"	B4700	STARTING
57"	54 1/4"	B4701	LANDING
72"	69 1/4"	B4702	INTERMEDIATE




Height (H)	Bottom Block (B)	Plain	
48"	45"	B4900 (4000-Ai)	STARTING
58"	55"	B4902 (4001-Ai)	LANDING
73"	70"	B4904 (4019-Ai)	INTERMEDIATE



Height (H)	Bottom Block (B)	Square Groove	
48"	39 1/4"	B4901 (4000-Ai-SG5)	STARTING
58"	49 1/4"	B4903 (4001-Ai-SG5)	LANDING
73"	64 1/4"	B4905 (4019-Ai-SG5)	INTERMEDIATE




Optional Newel Base



B49-BASE

Bevel Top Newels

NEWELS



Height (H)		STARTING	
48"	B4110 (4110)	B4000 (4000)	B4002 (4002)
		2ND FLOOR LANDING	
56"	B4111 (4111)	B4001 (4001)	B4003 (4003)

Chamfered Fluted Chamfered, Fluted & Grooved




B4110-C
B4000-C
B4001-C
B4110-F
B4000-F
B4001-F
B4110-CFG
B4000-CFG
B4001-CFG

Newels are available with the same milling options as the balusters. A few examples are shown above.


NOTE: Alternate model numbers in (italics)

BOX NEWELS


Series 3



Series 4



Series 5



NOTE: Dimensions are subject to change.

MORE BOX NEWELS ON THE NEXT PAGE.

Series 6

9"
23"
55"
23"
6 1/4" Sq

6 V-Grooved 9 V-Grooved Fluted Flat Panel Raised Panel Flat Panel Eyebrow Top Flat Panel Round Top Oval

B7203 (C4091) B7203-6P B7203-9P B7204 B7205-FP B7205-RP B7207 B7208 B7209

NOTE: Dimensions are subject to change.

Series 7

7 3/8"
24 9/16"
53 3/16"
21 1/4"
7 1/2" Sq

6 V-Grooved 9 V-Grooved Fluted Flat Panel Raised Panel Flat Panel Eyebrow Top Flat Panel Round Top Oval

B7403 (C4092) B7403-6P B7403-9P B7404 B7405-FP B7405-RP B7407 B7408 B7409


Using different series in the same home?
 Series 7, 5 and 4 are compatible
 Want a 7 1/2" newel that matches Series 6. Specify B79__ (not pictured)

NOTE: Alternate model numbers in (italics)

NOTE: Alternate model numbers in (italics)


SQUARE TAPERED BOX NEWELS

Series 7-TAP



TAP7403 TAP7405FP TAP7405RP

Series 8-TAP




TAP845FP TAP845RP TAP853 TAP855FP TAP855RP
TAP843 Plain (not shown)

Mixed Specie



- 1 Main newel with raised or flat panels in a different specie.
- 2 Main newel with a cap in a different specie.
- 3 Main newel with molding in a different specie.

Top Block Panels Options



Custom Box Newels



Shown with 2 panels per side

Series 4, 6 or 7 can be customized for your building project.

- Add panels below the cap and above the top moulding. The panels can be on two or three sides. (your choice of which sides).
- Mix your species. The panels can have one specie and the box newel can be of another. The moulding and cap can either match the panel or the box newel specie.
- The sticking around the panels can be Shaker Style (square) or Colonial (round)

The panel between the mouldings can be divided into two or more panels.



All of our box newel panels are standard with Round Sticking ... order optional Square Sticking.

Series A



B4660-A

B4660-A1

Series B



B4660-B

B4660-B1

Series C



B4660-C

B4660-C1

B4660-C2

B4660-C3

Series K



B4660-K

B4660-K1

Series M



B4660-M

B4660-M1

Series U



B4660-U

B4660-U1



For a 4 1/4" thick matching newel please specify B4360.

NOTE: Alternate model numbers in (italics)

The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The Country Woods Series features clean lines and a modern look.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)




B5700 (C6710)



B5900 (C6910)


RAIL SPECIFICATIONS
See page 56

BALUSTERS



ON-THE-RISE	CW15	CWE15	CW05	CWE05
Thickness (Square)	1 3/4"	1 3/4"	1 3/4"	1 3/4"

Note:
ON THE LEVEL
5 length now available.



ON THE RISE™

Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Bottom Rails



NOTE: Alternate model numbers in (italics)

Over the Post

NEWELS

3/4"
43"
3 1/2"

Pin Newel
STARTING
CW7-PIN

Height (H)	Plain	Fluted
STARTING		
50"	CW74	CWE74
LANDING		
58"	CW75	CWE75
INTERMEDIATE LANDING		
73"	CW78	CWE78

VOLUTES/TURNOUTS

1"
43"
Bottom Pin
3 1/2"

Plain Fluted
VOLUTE/TURNOUT(Adjustable)
CW60C CWE60C

Post to Post

5"
(H)
(B)
3 1/2"

Height (H)	Turning Length (B)	Plain	FLUTED
STARTING			
48"	39"	CW80	CWE80
58"	49"	CW82	CWE82
62"	53"	CW93	CWE93
73"	64"	CW95	CWE95
78"	69"	CW98	CWE98

11"
58"
43"
3 1/2"

Plain Fluted
2ND FLOOR
CW85 CWE85

14 1/2"
73"
54 1/2"
3 1/2"

Plain Fluted
INTERMEDIATE LANDING
CW86 CWE86

The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The Byron Series focuses on a center ball detail and is offered in two unique versions: the standard and Euro styles.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5700 (C6710)




B5900 (C6910)

RAIL SPECIFICATIONS
See page 56

BALUSTERS

Euro style

Euro style



ON THE RISE

Thickness (Square)

BY05

BY06

BY15

BY25

BY26

1 3/4"

2"


1 3/4"

1 3/4"

2"

Note:

ON THE LEVEL
5 length now available.



ON THE RISE™

Available Lengths:
BY25: 31", 34", 36", 39", 42"
BY05, BY15, BY25, BY26:
34", 38", 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom. NOTE: When the BY25 is used for a balcony application then specify the 5-Length version BY25-5L-36, BY25-5L-39 & BY25-5L-42 (turnings centered on balcony balusters).

Options:
Reeded Ball
add -RB

Decorative



BY##-RB

Options:
Pineapple Ball
add -PB

Decorative




BY##-PB

Rounded



Round
Top and
Bottom
Blocks
Available

Bottom Rails




NOTE: Alternate model numbers in (italics)

Over the Post

Options:
Reeded Ball Top
and Center Ball
add -RB

Decorative



NEWELS

Pin Newel	Height (H)	Bottom Block (B)	Plain	Euro Style	
STARTING	50"	22"	BY74	BYE74	STARTING
BY7-PIN	58"	30"	BY75	BYE75	LANDING
	73"	45"	BY78	BYE78	INTERMEDIATE

VOLUTES/TURNOUTS

Plain	Euro Style	
VOLUTE/TURNOUT(Adjustable)	BYE60C	
BY60C	BYE60C	

Post to Post

Plain	Bottom Block (B)	Height (H)	Bottom Block (B)	Euro Style
BY80	15"	48"	16 3/4"	BYE80
BY82	25"	58"	26 3/4"	BYE82
BY93	29"	62"	30 3/4"	BYE93
BY95	40"	73"	41 3/4"	BYE95
BY98	45"	78"	45 3/4"	BYE98

STARTING

Plain	Euro Style	
BY85	BYE85	2ND FLOOR
BY86	BYE86	INTERMEDIATE LANDING

The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The King Court Series includes shapes reminiscent of ancient Greek urns and tapered pillar-like turnings.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5700 (C6710)




B5900 (C6910)

BALUSTERS

Reeded

Reeded



ON • THE • RISE

Thickness (Square)

KC05

KC05-R

KC15


KC15-R

1 3/4"

1 3/4"

1 3/4"

1 3/4"



ON THE RISE™

Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

RAIL SPECIFICATIONS
See page 56

Bottom Rails



B5241 (C6006)



B6175 (C60015)

NOTE: Alternate model numbers in (italics)

Over the Post

NEWELS

Height (H)	Bottom Block (B)	Plain	Reeded
STARTING			
48"	15"	KC74	KC74-R
LANDING			
58"	25"	KC75	KC75-R
INTERMEDIATE LANDING			
73"	40"	KC78	KC78-R

VOLUTES/TURNOUTS

Height (H)	Bottom Block (B)	Plain	Reeded
VOLUTE/TURNOUT(Adjustable)			
		KC60C	KC60C-R

Post to Post

Height (H)	Bottom Block (B)	Plain	Reeded
STARTING			
48"	15"	KC80	KC80-R
58"	25"	KC82	KC82-R
62"	29"	KC93	KC93-R
73"	40"	KC95	KC95-R
78"	45"	KC98	KC98-R

Height (H)	Bottom Block (B)	Plain	Reeded
2ND FLOOR			
58"	23"	KC85	KC85-R
INTERMEDIATE LANDING			
72"	32"	KC86	KC86-R



The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The Malvern Series features a variety of some of our newest and unique milling options.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5700 (C6710)



B5900 (C6910)


RAIL SPECIFICATIONS
See page 56

BALUSTERS

2 Ribbon


Square

2 Ribbon



ON-THE-RISE	MV05	MV05-2RIB	MV05-SQ	MV15	MV15-2RIB
Thickness (Square)	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"

Note:
ON THE LEVEL
5 length now available.



ON THE RISE™

Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Rounded



Round Top and Bottom Blocks Available

Bottom Rails



NOTE: Alternate model numbers in (italics)

Over the Post

NEWELS

	Height (H)	Bottom Block (B)	Plain	Ribbon 2	Square	
STARTING	48"	24"	MV74	MV74-2RIB	MV74-SQ	STARTING
MV7-PIN	58"	34"	MV75	MV75-2RIB	MV75-SQ	LANDING
	72"	48"	MV78	MV78-2RIB	MV78-SQ	INTERMEDIATE

VOLUTES/TURNOUTS

	Plain	Ribbon 2	Square
VOLUTE/TURNOUT(Adjustable)	MV60C	MV60C-2RIB	MV60C-SQ

Post to Post

Height (H)	Bottom Block (B)	Plain	Ribbon 2	Square
STARTING				
48"	16 1/4"	MV80	MV80-2RIB	MV80-SQ
58"	26 1/4"	MV82	MV82-2RIB	MV82-SQ

	Plain	Ribbon 2		Plain	Ribbon 2
INTERMEDIATE LANDING	MV85	MV85-2RIB		MV86	MV86-2RIB
INTERMEDIATE LANDING					

The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The Mercer Series is a sleek modern design that incorporates a decorative ball at the bottom block.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5700 (C6710)



B5900 (C6910)


RAIL SPECIFICATIONS
See page 56

BALUSTERS

1 Twist

1 Twist

Twisted Leaf



ON-THE-RISE	ME05	ME05-1TW-PB	ME15	ME15-1TW-PB	ME15-LEAF
Thickness (Square)	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"

Note:
ON THE LEVEL
5 length now available.



ON THE RISE™

Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Options:
Pineapple Ball

Decorative Ball



Ordering Example:
ME05-PB

Rounded



Round
Top and
Bottom
Blocks
Available

Bottom Rails



B5241 (C6006)



B6175 (C60015)

NOTE: Alternate model numbers in (italics)

Over the Post

NEWELS

Height (H)	Bottom Block (B)	Plain	Twist 1	Twisted Leaf
STARTING				
50"	22"	ME74	ME74-1TW-PB	ME74-LEAF
LANDING				
58"	30"	ME75	ME75-1TW-PB	ME75-LEAF
INTERMEDIATE LANDING				
73"	45"	ME78	ME78-1TW-PB	ME75-LEAF

VOLUTES/TURNOUTS

Plain	Twist 1	Twisted Leaf
VOLUTE/TURNOUT(Adjustable)		
ME60C	ME60C-1TW-PB	ME60C-LEAF

Post to Post

Height (H)	Bottom Block (B)	Plain	Twisted 1	Twisted Leaf
STARTING				
48"	14 5/8"	ME80	ME80-1TW-PB	ME80-LEAF
58"	24 5/8"	ME82	ME82-1TW-PB	ME82-LEAF
62"	28 5/8"	ME93	ME93-1TW-PB	ME93-LEAF
73"	39 5/8"	ME95	ME95-1TW-PB	ME95-LEAF
78"	44 5/8"	ME98	ME98-1TW-PB	ME98-LEAF

Plain	Twisted 1	Twisted Leaf	Plain	Twisted 1	Twisted Leaf
2ND FLOOR			INTERMEDIATE LANDING		
ME85	ME85-1TW	ME85-TL	ME86	ME86-1TW	ME86-LEAF

The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The Woodbury Series features non-tapered turnings with an exciting variety of milling options.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)




B5700 (C6710)



B5900 (C6910)

BALUSTERS

2 Barley 2 Ribbon 3 Ribbon 2 Barley 2 Ribbon 3 Ribbon




ON-THE-RISE

	WB05	WB05 -2BAR	WB05- 2RIB	WB05 -3RIB	WB15	WB15 -2BAR	WB15 -2RIB	WB15 -3RIB
Thickness (Square)	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"

Note:

ON THE LEVEL
5 length now
available.



ON THE RISE™

Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Rounded



Round
Top and
Bottom
Blocks
Available

RAIL
SPECIFICATIONS
See page 56

Bottom
Rails



NOTE: Alternate model numbers in (italics)

Over the Post

NEWELS

Height (H)	Bottom Block (B)	Plain	2 Barley	2 Ribbon	3 Ribbon	
50"	22"	WB74	WB74-2BAR	WB74-2RIB	WB74-3RIB	STARTING
58"	30"	WB75	WB75-2BAR	WB75-2RIB	WB75-3RIB	LANDING
73"	45"	WB78	WB78-2BAR	WB78-2RIB	WB78-3RIB	INTERMEDIATE LANDING

VOLUTES/TURNOUTS

Available in 3 turning options:
WB60C-2BAR
WB60C-2RIB
WB60C-3RIB (plain shown)

Height (H)	Bottom Block (B)	Plain
43"	Adjustable	WB60C

Post to Post

Height (H)	Bottom Block (B)	Plain	2 Barley	2 Ribbon	3 Ribbon
48"	15½"	WB80	WB80-2BAR	WB80-2RIB	WB80-3RIB
58"	25½"	WB82	WB82-2BAR	WB82-2RIB	WB82-3RIB
62"	29½"	WB93	WB93-2BAR	WB93-2RIB	WB93-3RIB
73"	40½"	WB95	WB95-2BAR	WB95-2RIB	WB95-3RIB
78"	45½"	WB98	WB98-2BAR	WB98-2RIB	WB98-3RIB

Available in 3 turning options:
WB85-2BAR
WB85-2RIB
WB85-3RIB

Height (H)	Bottom Block (B)	Plain
58"	24"	WB85
73"	39"	WB86

The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The Lomond Series features hourglass shaped turnings with center details.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5700 (C6710)



B5900 (C6910)


BALUSTERS

2 Ribbon

3 Ribbon

2 Ribbon

3 Ribbon



ON • THE • RISE

Thickness (Square)

LM05

LM05-2RIB

LM05-3RIB

LM15

LM15-2RIB

LM15-3RIB

1 3/4"

1 3/4"

1 3/4"


1 3/4"

1 3/4"

1 3/4"

Note:

ON THE LEVEL
5 length now available.



ON THE RISE™

Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Rounded



Round Top and Bottom Blocks Available

RAIL SPECIFICATIONS
See page 56

Bottom Rails



B5260 (C6007)

B5241 (C6006)



B5260 (C6007)

B6175 (C60015)

NOTE: Alternate model numbers in (italics)

Over the Post

NEWELS

	Height (H)	Bottom Block (B)	Plain	2 Ribbon	3 Ribbon	
STARTING	50"	22"	LM74	LM74-2RIB	LM74-3RIB	STARTING
LM7-PIN	58"	30"	LM75	LM75-2RIB	LM75-3RIB	LANDING
	73"	45"	LM78	LM78-2RIB	LM78-3RIB	ANGLE (WINDER)

VOLUTES/TURNOUTS

Available in 2 turning options:
LM60C-2RIB
LM60C-3RIB
(plain shown)

	Height (H)	Bottom Block (B)	Plain
STARTING	50"	22"	LM60C
LM7-PIN	58"	30"	LM60C
ANGLE (WINDER)	73"	45"	LM60C

Post to Post

Height (H)	Bottom Block (B)	Plain	2 Ribbon	3 Ribbon
STARTING				
48"	16"	LM80	LM80-2RIB	LM80-3RIB
58"	26"	LM82	LM82-2RIB	LM82-3RIB
62"	30"	LM93	LM93-2RIB	LM93-3RIB
73"	41"	LM95	LM95-2RIB	LM95-3RIB
78"	46"	LM98	LM98-2RIB	LM98-3RIB

Available in 2 turning options:
LM85-2RIB
LM85-3RIB

LM86-2RIB
LM86-3RIB
(plain shown)

Height (H)	Bottom Block (B)	Plain	Plain
STARTING			
58"	24 1/2"	LM85	LM85
73"	39 1/2"	LM86	LM86

The Limited Reserve Collection was created to suit your signature style with a combination of classic and modern designs. The Sussex Series features clean and modern non-tapered turnings.

Handrails



B5100 (C6109)



B5208 (C6210)



B5226 (C6519)



B5310 (C6310)



B5400 (C6400)



B5700 (C6710)



B5900 (C6910)

RAIL SPECIFICATIONS
See page 56


BALUSTERS

1 Barley

1 Ribbon


1 Barley

1 Ribbon



ON • THE • RISE	SS05	SS05-1BAR	SS05-1RIB	SS15	SS15-1BAR	SS15-1RIB
Thickness (Square)	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"

Note:
ON THE LEVEL
5 length now available.



ON THE RISE™

Available Lengths:
34", 38", and 42"

The length of the turned area does not change. The size of the bottom square increases with the baluster height. Trim balusters from the bottom.

Rounded



Round Top and Bottom Blocks Available

Bottom Rails



NOTE: Alternate model numbers in (italics)

Over the Post

NEWELS

Rake Newel

Height (H)	Bottom Block (B)	Plain	1 Barley	1 Ribbon
STARTING				
50"	22"	SS74	SS74-1BAR	SS74-1RIB
LANDING				
58"	30"	SS75	SS75-1BAR	SS75-1RIB
INTERMEDIATE LANDING				
73"	45"	SS78	SS78-1BAR	SS75-1RIB

VOLUTES/TURNOUTS

Plain 1 Barley 1 Ribbon

VOLUTE/TURNOUT (Adjustable)		
SS60C	SS60C-1BAR	SS60C-1RIB

Post to Post

Height (H)	Bottom Block (B)	Plain	1 Barley	1 Ribbon
STARTING				
48"	15½"	SS80	SS80-1BAR	SS80-1RIB
58"	25½"	SS82	SS82-1BAR	SS82-1RIB
62"	29½"	SS93	SS93-1BAR	SS93-1RIB
73"	40½"	SS95	SS95-1BAR	SS95-1RIB
78"	45½"	SS98	SS98-1BAR	SS98-1RIB

Available in 2 turning options:
SS85-1BAR
SS85-1RIB

SS86-1BAR
SS86-1RIB
(plain shown)

Plain	Plain
2ND FLOOR SS85	INTERMEDIATE LANDING SS86

COMPONENT PANELS FOR INTERIOR USE

Wood panel baluster components designed to add a unique blend of retro and modern to any staircase or landing.

Please see our website for further details.

www.straittrends.com.



Wooden Dowel Pin
Included for installation use.



BP140







BP141



BP142



BP143



For
old
world
charm
blend
iron
and
wood.



Iron Baluster Measurement Tips

StairTrends offers most iron balusters in 44" heights with details centered 18" from the top.

Knee Wall series are 36" high. (see page 49)

Cut as needed from the bottom.

Most square balusters have a domed top for easy installation into the handrail.

Standard balusters are 1/2" x 1/2" thick.

Hammered series balusters are 9/16" x 9/16".

Mega Square series are 3/4" x 3/4". (see page 54)

Round Series in 1/2", 9/16" and 5/8" diameter. (see pages 52-53)



HEIGHT EXCEPTIONS

Balusters Series	Height	Page
Belly Posts	40"	48
M55541	41"	43
REN PANEL	42"	43
Knee Wall	36"	49

INSTALLATION ADHESIVE

Fast setting epoxy kit	47
------------------------	----

Iron Panels



14 7/8" W
at scroll


9" W
at base
x
44" H

M39944
Solid

1/2" Thick

Available Finishes	SAT Satin Black (smooth finish)
--------------------	--

1/2" SQUARE



Finishes

To specify your type of finish, add the letter code after each item number.



B
Flat Black
(lightly textured)

SAT
Satin Black
(smooth finish)

PC
Grey Black

ABZ
Antique
Bronze

ORC
Oil Rubbed
Copper
(hand rubbed)

ORB
Oil Rubbed
Bronze
(hand rubbed)

AG
Ash Gray

Iron Panels

Shoes for 1/2" square
see page 45



Detail Centered 18" from Top

17 3/4" W x 41" H

M55541
Solid



30" W x 36" H
overall height 42"

RENPANEL
Tubular

1/2" SQUARE

1/2" Thick

Available Finishes	SAT
	Satin Black (smooth finish)

Available Finishes	B	SAT	ABZ	ORC	ORB
	Flat Black (lightly textured)	Satin Black (smooth finish)	Antique Bronze	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)


Handrail Bracket Matching Accessories (Wall to Center 3 1/4")

<p>ABZ Antique Bronze (Textured)</p> <p>HR301-ABZ</p>	<p>PC Grey-Black (Textured)</p> <p>HR301-PC</p>	<p>B Flat Black (Lightly Textured)</p> <p>HR301-B</p>	<p>SAT Smooth Satin Black</p> <p>HR301-SAT</p>	<p>ORC Oil Rubbed Copper</p> <p>HR301-ORC</p>	<p>ORB Oil Rubbed Bronze</p> <p>HR301-ORB</p>
---	---	---	--	---	---

IRON BALUSTERS

1/2" SQUARE

Designer Square Balusters - Tubular



Circle dimension - 4" Diameter

6"

M40144
B, SAT, AG


M40244
B, SAT, AG

M41144
B, SAT, AG

1/2" Thick

The top of these balusters are square, not domed.

Knuckle Square - Tubular



PLA44

1KNUC44

2KNUC44

2KNUC1BASK44
AG N/A

1/2" Thick

Available Finishes	B	SAT	PC	ABZ	ORC	ORB	AG
	Flat Black (lightly textured)	Satin Black (smooth finish)	Grey Black	Antique Bronze	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)	Ash Gray

Knuckles For use with PLA44 Plain Baluster



AK01
Adjustable
Knuckle
1 1/2" x 2"



AK02
Fluted Barrel
Adjustable Knuckle
1 1/2" x 1 1/2"




AK03
Urn Adjustable
Knuckle
1 3/8" x 1 7/8"



AK04
Fluted Deco
Adjustable
Knuckle
7/8" x 6"



Twist & Basket Square - Tubular



1/2" SQUARE

1/2" Thick

Available Finishes	B	SAT	PC	ABZ	ORC	ORB	AG
	Flat Black (lightly textured)	Satin Black (smooth finish)	Grey Black	Antique Bronze	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)	Ash Gray

Iron Shoes for 1/2" Square Installations

For Universal Shoes see page 48

For Adhesive see page 47



Shoe Model Number	FSH01	M06	M020	M022	SCR04	PSH02
Shoe Base Dimensions	1 1/2" Square	1 3/8" Square	1 7/8" Diameter	2" Square	2 1/2" X 1 1/2"	1 1/4" Square

Finishes: B (Flat Black), SAT (Satin Black), PC (Grey Black), ABZ (Antique Bronze), ORC (Oil Rubbed Copper), ORB (Oil Rubbed Bronze).
FSH01, M06 & PSH02 are shipped in aluminum for easy installation.

Scroll & Wave Square



Shoes for 1/2" square
see page 45

1/2" SQUARE



Scroll 7" W x 24" L

M301
ABZ, B, SAT,
ORB, ORC only



Scroll 5 1/2" W x 16" L

M501



Scroll 5 1/2" W x 22 1/2" L

M601



Scroll 5" W x 24" L

M331
SAT only



Scroll 5" W x 26" L

MDS
B, SAT, ORB only



Scroll 5" W x 12" L

MSS
ABZ, B, SAT,
ORB, ORC only



Wave 1 1/4" W x 30" L

WAVE44
ABZ, B, SAT,
ORB, ORC only


1/2" Thick

Available Finishes	B	SAT	PC	ABZ	ORC	ORB
	Flat Black (lightly textured)	Satin Black (smooth finish)	Grey Black	Antique Bronze	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)



Ribbon Square

Shoes for 1/2" square
see page 45



PLA44 1RIB44 2RIB44 M8044 M8544

1/2" Thick

Available Finishes	B	SAT	ABZ	ORC	ORB
	Flat Black (lightly textured)	Satin Black (smooth finish)	Antique Bronze	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)

1/2" SQUARE

Installation Products

A501K
Fast Setting Epoxy Kit
includes 5 oz. A-7 epoxy,
A-24 nozzle & piston
for use with standard
caulking gun
(gun not included).




A24 Nozzle
Extra nozzle for A-501-K



1/2" SQUARE

Belly Square - 40" Tubular




PLA40-BLY 1TW40-BLY 1BASK-BLY

1/2" Thick - SQUARE tops and bottoms

Available Finishes	SAT	ORC
	Satin Black (smooth finish)	Oil Rubbed Copper (hand rubbed)

Liberty Balusters - Square Tubular



M435 M438 M439 M436

1/2" Thick - SQUARE



Available Finishes	SAT	AG
	Satin Black (smooth finish)	Ash Gray

Universal Iron Shoes for 1/2" or 9/16" Square Installations

For 1/2" Shoes see page 45

For 9/16" Shoes see page 50


For Adhesive see page 47



Shoe Model Number	RD201	SQ301	RM201	RM301
Available Finishes	All	All	SAT	B, SAT, ORB, ORC
Shoe Base Dimensions	1 7/8" Diameter	1 5/8" Square	2" Diameter	2" Square

Finishes: B (Flat Black), SAT (Satin Black), PC (Grey Black), ABZ (Antique Bronze), ORC (Oil Rubbed Copper), ORB (Oil Rubbed Bronze)

Square Knee Wall - 36" Tubular



1/2" Thick

Available Finishes	SAT	ORB
	Satin Black (smooth finish)	Oil Rubbed Bronze (hand rubbed)

Knee Wall Balusters

are designed for use on top of the stringer. These balusters are not designed to be used on the same elevation as our 44" tall balusters.



Visit StairTrends.com for an interactive



metal baluster selection experience. Follow the links to the Iron Balusters and click on the Stair Artist design tool box.

IRON BALUSTERS

9/16" SQUARE

Gothic Hammered - Solid



M14344 M14044 M15044 M16044

9/16" Thick

Santa Fe Forged Hammered - Solid



M9044 M10044 M11044

B, SAT, ORC, ORB only

9/16" Thick

Ball Forged Hammered - Solid



M9044 M305 M308 M310

B, SAT, ORC, ORB only

9/16" Thick


Scroll 5" W x 14.6" L

Available Finishes	B	SAT	ABZ	ORC	ORB
	Flat Black (lightly textured)	Satin Black (smooth finish)	Antique Bronze	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)

Iron Shoes for 9/16" Square Installations

For Universal Shoes see page 48

For Adhesive see page 47



Shoe Model Number	H03	H06	H04	H05P
Available Finishes	All	All	B, SAT only	All
Shoe Base Dimensions	1 1/2" Diameter	1 3/8" Square	2 1/2" X 1 1/2"	1 1/4" Square

Finishes: B (Flat Black), SAT (Satin Black), PC (Grey Black), ABZ (Antique Bronze), ORC (Oil Rubbed Copper), ORB (Oil Rubbed Bronze)
H05P & H06 are shipped in aluminum for easy installation. All other shoes are iron.

Old English Forged
Hammered - Solid



Scroll - 5" W x 14.6" L

M9044 M330 M13144 M13244

9/16" Thick

Scroll Forged
Hammered - Solid




Scroll 5 1/4" W x 15 1/4" L

M30344
SAT, ORB only

9/16" Thick

Tudor Forged
Hammered - Solid



6"

M9044 M13344 M13444
SAT, ORB only SAT, ORB only


9/16" Thick

9/16" SQUARE

Available Finishes	B	SAT	ORB
	Flat Black (lightly textured)	Satin Black (smooth finish)	Oil Rubbed Bronze (hand rubbed)



Gothic Hammered
Bar close-up



Forged Hammered
Bar close-up



Detail of M13144
and M13244




Detail of M13344
decorative "diamond" window

IRON BALUSTERS

1/2" ROUND • 9/16" ROUND

Roman Round - Solid



R60044 R60144 R60244 R61144 R61244

1/2" Round (Textured)

Available Finishes	SAT	ORB
	Satin Black (smooth finish)	Oil Rubbed Bronze (hand rubbed)


Gothic Round - Solid



R54344 R54044 R55044


9/16" Round

Available Finishes	B
	Flat Black (lightly textured)



Iron Shoes

for 1/2" & 9/16" Round Installations



Flat Square Shoe Pitched Shoe

For 1/2" round balusters	R08F	R09P
For 9/16" round balusters	R07F	R06P
Shoe Base Dimensions	1 1/2" Square	1 1/4" Square

For Adhesive see page 47

Venetian Round - Tubular




R65044 R65244 R65644 R65844

5/8" Round

Available Finishes	SAT	ORC	ORB
	Satin Black (smooth finish)	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)

Venetian Modern - Tubular



R94344 R94544 R94844

5/8" Round

Available Finishes	BN	AG
	Brushed Nickel	Ash Gray

Iron Newels - Solid



NWL-14048 NWL-BASK48 NWL-TW48

SAT only - All other finishes special order.

1-3/16" Thick x 48" Long incl. 1" Pin Top

Available Finishes	SAT
	Satin Black (smooth finish)

5/8" ROUND • IRON NEWELS (1-3/16" SQUARE)



Venetian

Detail of Venetian R65044 decorative center



2"
R10
Flat Shoe for 5/8" Round, 2" diameter. (pitched shoe not available)



NC101
Newel Anchoing System w/Shoe


Iron Newel Anchoing System

Available in 6 finishes

3/4" MEGA Square Balusters - Tubular

All MEGA balusters are rounded to 9/16" diameter on top for easy installation into handrail hole.

3/4" SQUARE



MEGA-PLA MEGA-1TW MEGA-2TW MEGA-1BASK MEGA-2BASK MEGA-M601 MEGA-1KNUC MEGA-2KNUC

Scroll - 5 1/2" W x 24" L

TUBULAR 3/4" Baluster Thickness

Available Finishes	B	SAT	ABZ	ORC	ORB
	Flat Black (lightly textured)	Satin Black (smooth finish)	Antique Bronze	Oil Rubbed Copper (hand rubbed)	Oil Rubbed Bronze (hand rubbed)

MEGA Iron Shoes for 3/4" Square Installations



Shoe Model Number	MEGA-M08	MEGA-PSH08	MEGA-FSH08
Shoe Base Dimensions	1 1/2" Square	1 1/2" Square	1 3/4" Square

Finishes: B (Flat Black), SAT (Satin Black), ABZ (Antique Bronze), ORC (Oil Rubbed Copper), ORB (Oil Rubbed Bronze)



Visit StairTrends.com for an interactive




metal baluster selection experience. Follow the links to the Iron Balusters and click on the Stair Artist design tool box.




Handrails,
Fittings
and
Accessories

HANDRAILS


WE OFFER STRAIGHT AND BENDING RAILS UP TO 24 FEET IN LENGTH




B5000 (C6601)
Available Plowed for 1 1/4"




B5100 (C6109)
Available Plowed for 1 1/4" or 1 3/4"




B5200 (C6010)
Available Plowed for 1 1/4"




B5208 (C6210)
Available Plowed for 1 1/4" or 1 3/4"




B5226 (C6519)
Available Plowed for 1 3/4" or 2"




B5310 (C6310)
Available Plowed for 1 1/4" or 1 3/4"




B5400 (C6400)
Available Plowed for 1 3/4" or 2"




B5500 (C6701)
Available Plowed for 1 1/4"




B5676 (C3)
Available Plowed for 1 1/4"



B5700 (C6710)
Available Plowed for 1 1/4" or 1 3/4"



B5293



B5900 (C6910)
Available Plowed for 1 1/4", 1 3/4" or 2"

StairTrends is not responsible or liable for any balustrade system that does not meet the requirements of the local governing building code where installed. Grip rail may be required in conjunction with some rail designs.

CONTEMPORARY RAILS

Rails	Width	Height
B5235	1 5/8"	3 1/2"
B5255	1 5/8"	5 1/2"
B5275	1 5/8"	5 1/2"
B5285	1 1/4"	5 1/4"
B5295P	1 9/16"	2 7/8"
B6100	2 3/4"	1 5/8"



B5235



B5255 (C6003)



B5275 (C6203)



B5285




B5295P (6206P)
Plowed for 1 1/4"



B6100 (C6002)
Available Plowed for 1 1/4" or 1 3/4"


SHOE RAILS & FILLETS




B5211 (C6045)
B5210 (C6050)



B5260 (C6007)
B5241 (C6006)



B6111 (C6000F)
B6125 (C6000S)



B5260 (C6007)
B6175 (C6001S)


HANDRAIL FITTINGS

HANDRAIL	B5000	B5100	B5200	B5208	B5226	B5310	B5400	B5500	B5676	B5700	B5293	B5900
FITTING	B20--	B21--	B22--	B28--	B26--	B23--	B24--	B25--	F76--	B27--	F93--	B29--

Fittings may be ordered as plowed for square top balusters - add the suffix "-P" to the fitting number.




HANDRAIL FITTINGS




LH 2-Riser
no Cap
__ 16 (C-50)

RH 2-Riser
no Cap
__ 17 (C-55)




LH 2-Riser
with Cap
__ 18 (C-60)

RH 2-Riser
with Cap
__ 19 (C-65)



LH 2-Riser
no Cap
__ 22 (C-71)

RH 2-Riser
no Cap
__ 23 (C-76)



LH 2-Riser
with Cap
__ 26 (C-81)

RH 2-Riser
with Cap
__ 27 (C-86)



Straight 2-Riser
with Tandem Cap
__ 28 (C-88)



LH 2-Riser
no Cap
__ 29 (C-90)

RH 2-Riser
no Cap
__ 30 (C-95)

5 1/2" Center to Center



Straight 2-Riser
with Cap
__ 32 (C-97)



Straight 2-Riser
no Cap
__ 34 (C-99)



LH 2-Riser
with Cap
__ 91 (C-91)

RH 2-Riser
with Cap
__ 92 (C-92)

5 1/2" Center to Center

Goosenecks
Goose necks may be used for 1 or 2 rise applications. Call for quote for custom applications.

ROSETTES



B2205
4 1/2" dia.
B2205B
6" dia.



B2205A
4 7/16" W x 6 1/2" H
B2205C
6" W x 7 3/8" H



B2205SQ
4 5/8" Square




B2205REC
4 5/16" W x 6" H



WALL BRACKETS


Decorative wall brackets add elegance to open tread stairs.



B2236 (C7028)
11 1/2" W x 8" H

B2237 (C7029)
11 1/2" W x 8 1/8" H


NEWEL POST TOPS & NEWEL DROPS



PT9904
2 3/4" dia. x 3 7/8" H



PT9935
3 1/4" dia. x 4 7/8" H




PT9937
3 1/8" dia. x 3 3/4" H




PT9938
3 1/4" dia. x 4 7/8" H



PTLM
3" dia. x 2 1/2" H



PTSS
3" dia. x 3" H




PT9940
2 3/4" dia. x 2 3/8" H




PT9990COL
3 1/4" dia. x 4 1/2" H




PT9990-AC
3 1/4" dia. x 4 1/4" H




PTBY-RB
3 1/4" dia. x 3 3/4" H




PTME-PB
3 1/4" dia. x 3 3/4" H



PTWB
3" dia. x 3" H



ND99



ND399

WALL RAILS



B5205
1 3/4" W x 1 5/8" H



B5203FB
1 3/4" W x 1 5/8" H



B5042
2 1/4" W x 1 9/32" H
Bottom Flat 1 1/8" W
FULL LINE OF FITTINGS
AVAILABLE (F42_)


FULL ROUNDS



FULL ROUND RAILS WITH
FLAT BOTTOM: SPECIFY
SUFFIX (FB)



B5044
1 1/4" dia.




B5045
1 1/2" dia.



B5203
1 3/4" dia.



B5207
2" dia.



B5293
2 1/2" dia.



B5296
3" dia.

NOTE: B5293 FULL LINE OF
FITTINGS AVAILABLE (F93)

WALL RAIL FITTINGS

Quarterturn



Up Easing



Over Easing



Wall Rail Fittings Cross Reference Chart

RAIL	QUARTER-TURN	UP EASING	OVER EASING
B5042	QTR42	UE42	OE42
B5045	QTR45	UE45	OE45
B5203FB	QTR03FB	UE03FB	OE03FB
B5207	QTR07	UE07	OE07

STARTING STEPS

STARTING STEP includes Shoe and Cove. Risers are 3/4" x 7", total Rise 8 1/32"; single Bullnose treads are reversible.

6 1/4" Radius - use with all Volutes and Turnouts



Single Bullnose

ITEM	Width of Cut-Out	Tread Depth	Bullnose
B6203	48"	11 1/2"	10 1/4"
B6205	60"	11 1/2"	10 1/4"
B6206	72"	11 1/2"	10 1/4"



Double Bullnose

ITEM	Width of Cut-Out	Tread Depth	Bullnose
B6256	42"	11 1/2"	10 1/4"
B6258	48"	11 1/2"	10 1/4"

7 3/16" Radius - use with all Volutes and Turnouts



Single Bullnose
(C8310)

ITEM	Width of Cut-Out	Tread Depth	Bullnose
B6303	48"	11 1/2"	12"
B6305	60"	11 1/2"	12"



Double Bullnose
(C8315)

ITEM	Width of Cut-Out	Tread Depth	Bullnose
B6356	42"	11 1/2"	12"
B6358	48"	11 1/2"	12"

Above starting steps accommodate Volutes and Turnouts in rail profiles B5100, B5400, B5226, B5700 & B5900 and with Volute for B5500. Also use these steps for all climbing volutes.

8 7/8" Radius - use with Box Newels



Single Bullnose
(C8030)

ITEM	Width of Cut-Out	Tread Depth	Bullnose
B6263	48"	11 1/2"	12"
B6265	60"	11 1/2"	12"



Double Bullnose
(C8050)

ITEM	Width of Cut-Out	Tread Depth	Bullnose
B6281	42"	11 1/2"	12"
B6283	48"	11 1/2"	12"
B6285	60"	11 1/2"	12"

Above starting steps are for use with BOX NEWELS and any rail.

7" Radius - use with Box and Square Top Newels and 90° Starting Fittings



Single Bullnose
(C8040/C8440, C8640)

ITEM	Overall Tread Width	Tread Depth	Bullnose
B6233	58 1/4"	11 1/2"	10 1/4"
B6433	58 1/4"	14"	10 1/4"
B6633	70 1/4"	16"	10 1/4"



Double Bullnose
(C8060/C8460, C8660)

ITEM	Overall Tread Width	Tread Depth	Bullnose
B6251	62 1/2"	11 1/2"	10 1/4"
B6253	68 1/2"	11 1/2"	10 1/4"
B6255	80 1/2"	11 1/2"	10 1/4"
B6453	68 1/2"	14"	10 1/4"
B6653	68 1/2"	16"	10 1/4"

Use B6233, B6251, B6253, B6255 with Box Newels or when using a square top newel on the 2nd riser. Use B6433, B6453, B6633 and B6653 with fittings that have a 90 degree up-easing attached. B6433 & B6453 are used with B5200, B5208, B5000, B5310 volutes and turnouts and B5500 & B5100 turnouts. B6633 & B6653 are used with B5100 & B5500 volutes and B5400, B5226, B5700 & B5900 with volutes and turnouts.

Bowed Starting Steps - use with all Volutes and Turnouts



Single Bullnose
(C8210)



Double Bullnose
(C8215)

ITEM	Width of Cut-Out	Bullnose	Bowed Treads are 11 1/2" and project to 14" at center.	ITEM	Width of Cut-Out	Bullnose
B6703	48"	9 1/2"		B6758	48"	9 1/2"



TREADS: 10½", 11½", 13"

Treads are 1 1/16" thick (3/4" thick available). Lengths: 36", 42", 48", 54", 60", 72", 84", 96" and longer.



Plain Tread - Nosed
(C8070)

Coped Return Treads
Specify Right or Left Hand
(RH pictured)

Coped Returns 2-Ends
Specify the distance between
the returns.

Winder tread blanks are available (not pictured)

RISERS



Risers
(C8075)
Available in ¾" x 7½"
or ¾" x 8"

LANDING TREADS




B8090-3
(3½" L)



B8090-5
(5½" L)



B8090-7
(7½" L)



COVE MOULDS



BB100 1 1/16" x 1 1/16"

B8095 5/8" x 1 1/16"

B8098 1/2" x 3/4"

BB95 1/2" x 1/2"

RETURN NOSING



B8080
1 1/16" x 1 1/4" LF
1 1/16" x 1 1/4"-13"

SHOE MOULD



BB129
7/16" x 1 1/16"

TREAD MOULD



B8077
1 1/4" x 1 1/16"

BENDABLE LANDING TREADS



B8090-5B
5½" L


(no bending mold)

FALSE END STARTING STEPS, TREADS & RISERS

False End Starting Step
Reversible



B6203-2
6 1/4" radius
B6303-2
7 1/16" radius



False Riser



B8076
5 1/4" x 8"

False End Kit - Unassembled



For field assembly into LH, RH or Closed False Tread.
Inside: 6" x 11"
Outside: 7 1/2" x 12 1/4"
Riser (included): 1/2" x 6" x 8"

B8079

False End Tread with Return
(Specify LH or RH)



B8071-LH
B8071-RH

Inside: 5 1/2" x 12 3/4"
Outside: 6 1/2" x 14"
Riser (included): 1/2" x 5 1/4" x 8"

False End Tread



B8072

Inside: 6" x 11"
Outside: 6" x 12 1/4"
Riser (included): 1/2" x 6" x 8"



False ends are an economical method of stair building when using a carpet runner.

HANDRAIL BRACKETS - Solid & Plated

	Standard Brackets				Standard Bracket	Long Arm for Round Rails	Long Arm Bracket	Long Arm Iron Bracket	
	HR4235	HR059A	HR059B	HR312	HR601	HR606	HR158	HR301	
	Diecast, Base to Center of Rail 3"	Cast Aluminum, Base to Center of Rail 2 7/16"	Solid Brass, Base to Center of Rail 2 7/16"	Plated, Base to Center of Rail 3 1/2"	Plated, Base to Center of Rail 2 3/4"	Plated, Wall-to-Rail Center Span 2 3/4"	Plated, Base to Center of Rail 3 3/8"	Powder Coat, Base to Center of Rail 3 1/4"	
Bright Brass	●	●	●	●	●	●	●	NOTE: See page 43 for powder coated brackets with a 3 1/4" center line.	
Antique Brass	●		●		●				
Satin Bronze		●							
Oil Rub Bronze	●	●	●	●	●	●	●		
Satin Nickel	●	●	●	●	●	●	●		
Antique Nickel	●		●						
Black		●			●				
Bright Chrome	●		●		●				
Satin Chrome	●		●		●				
White		●			●				


Spring Bolts A revolutionary means of attaching stair rails and posts. Fully concealed and taking a fraction of the time to install compared to other hardware, Spring Bolt™ equals substantial savings in time, frustration and dollars spent.

HDW206
Rail to Post Connector
 Connect angled rails.
 The perfect answer to most angles.

HDW207
Rail to Post End Kit
 Connect rails between two posts.
 No plugs, toe nailing or exposed screw heads.
 (1-RH & 1-LH)


HDW205
Rail to Rail Connector
 Connect angled rails.
 The perfect answer to most angles.

HDW208
Post to Floor Connector
 When combined with a quality adhesive, Spring Bolts' holding power is extraordinary.



SURE-TITE™ B3008 Newel Fastening System

- Contains:
1-11" lag bolt
1 washer
1 nut
2 plugs (1 oak
and 1 poplar)




- Uses floor joists for support
- No additional framing needed
- Installs in as little as 10 minutes
- Needs no mortising or coping
- Will not loosen over time
- Exceeds stair code strength requirement.
- Tools Required
Drill Bits: 3/8", 5/8", 1 1/2"
Box End Wrench: 3/4"

Newel Post Fasteners

B3009 and B3019 L-Brackets come with 4 super heavy-duty extruded brackets, 28 hardened screws and mitered trim. Specify 3009 for 3" newels and 3019 for 3 1/2" newels. Available in Red Oak, Poplar, Maple and Cherry.




Threadlock™ B3070 Newel Post Fastener



Used to mount newel posts on finished and unfinished floor surfaces. The split bolt system makes it easy for universal applications.

Newel Kit B-3004

1. Locate center of newel on floor. Drill 5/8" hole in to the floor a min. of 1 1/4" deep.
2. Install the 2 hex-nuts on to the installer bolt and lock them together leaving at least 1/4" of threads exposed on the end of the bolt to receive the steel insert. Thread the steel insert on to the installer bolt until the steel insert lightly contacts the hex nuts.
3. Install the steel insert into the floor (min. of 1/8" under fin. floor). Remove the installer bolt. Remove the 2 hex nuts from the installer bolt and install them on to the 5" hanger bolt locking them together.
4. Drill a 5/16" pilot hole in the bottom of the newel. Remove hex nuts.
5. Thread the newel into the steel insert. Use construction adhesive under the newel during final assembly.





Keylock™ Newel Fastener B-3005

- Includes:
1 - 3/8" x 5" Lag Bolt
1 - 3/8" x 1 7/8" x 2 5/8"
Steel Inlet Plate
4 - #10 x 3 3/4" Wood Screws



Baluster Fasteners



- B3076 - Dowel Screws in quantity of 50
DS2501 - Individual Dowel Screw
B3033 - Drill Driver for Dowel Screws

Buttons & Plugs

- B6403 - 3/8" Button
B6404 - 1/2" Button
B6410 - 1" Button
B6803 - 3/8" Flat Head Plug
B6804 - 1/2" Flat Head Plug
B6810 - 1" Flat Head Plug
B6811 - 1 1/2" Flat Head Plug




Rail Bolt with 1" Plug



- B6805 - Rail Bolt with washer, nut and plug
B3032 - Rail Bolt Drill Driver

Rail Bolt Installer B92

Install Lag into
Rail, Post, or
Fitting.



Threads the nut onto a rail bolt with the aid of a rubber band and allows for access to the nut for tightening.

Newel Mounting Plate

Fits 3" to 3 1/2" Square Newels



- B3006 - Plate with Trim and Screws
SNMP4 - Plate only with screws
B9006 - Trim Only 1 1/8" x 1 1/16"

Wooden Dowel Pin




RP100
for OntheRise™
Balusters


Fastener Kit

B3078
for installing
newels to risers
or handrail.
Includes a
1" plug.





StairTrends®



- Standard Hardwood
- Baluster & Post Selections
- Box Newels
- Wood Accessories
- Hand Rails
- Moulding
- Iron Balusters
- Square Iron Balusters
- Round Iron Balusters
- Iron Newels
- Iron Accessories

www.stairtrends.com

Distributed By: