

## Table of Average Weights in Pounds Per Door

	Hollow Core					Solid Core					Wood Panel, French, and Louver Doors						
	1-3/8"			1-3/4"		1-3/8"			1-3/4"		1-3/8" Panel Doors				1-3/8" Louver Doors		French
	Flush 6/8	Legacy 6/8	Molded 6/8	Flush 6/8	Molded 6/8	Flush 6/8	SNS 6/8	Flush 6/8	Flush 7/0	Legacy 6/8	Wh Pine 6/8	Radiata 6/8	Poplar 6/8	Oak*** 6/8	#730 Pine 6/8	#732 Pine 6/8	10 & 15 Lt 6/8
1/0	8	10	15	9	14	25	22	32	34	34	30	32	29	32	25	27	28
1/6	12	14	19	14	19	38	33	48	50	50	32	34	31	34	27	29	30
1/8	13	15	20	16	21	42	35	53	56	55	34	36	33	36	28	30	32
1/10	15	17	22	17	22	46	39	59	62	61	36	38	35	38	29	31	34
2/0	16	18	23	19	24	51	43	64	67	66	37	40	36	39	30	32	36
2/2	17	19	24	20	25	55	46	69	73	71	40	43	38	42	31	33	39
2/4	19	21	26	22	27	59	50	75	78	77	43	45	40	44	32	34	42
2/6	20	22	27	23	28	63	54	80	84	82	45	48	44	47	33	35	44
2/8	21	23	28	25	30	68	57	85	90	87	49	50	48	50	35	37	46
2/10	23	25	30	26	31	72	61	91	95	93	57	53	56	57	39	40	49
3/0	24	26	31	28	33	76	63	96	101	98	58	55	57	58	40	43	50
3/2	25	27	32	30	35	80	68	101	106	103	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3/4	27	29	34	31	36	84	72	107	112	109	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3/6	28	30	35	33	38	89	75	112	118	114	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3/8	29	N/A	N/A	34	N/A	93	N/A	117	123	119	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3/10	31	N/A	N/A	36	N/A	97	N/A	123	129	125	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4/0	32	N/A	N/A	37	N/A	101	N/A	128	134	130	N/A	N/A	N/A	N/A	N/A	N/A	N/A

\*\*\* Maple and Cherry Panel Doors are approximately the same weight as Oak Panel Doors.

## 1-3/8 Hollow Core Flush and Molded Door Weights By Door Size

1-3/8 Hollow Core Flush Doors			
	6/8	7/0	8/0
1/0	8	8	10
1/6	12	13	14
1/8	13	14	16
1/10	15	15	18
2/0	16	17	19
2/2	17	18	21
2/4	19	20	22
2/6	20	21	24
2/8	21	22	26
2/10	23	24	27
3/0	24	25	29
3/2	25	27	30
3/4	27	28	32
3/6	28	29	34
3/8	29	31	35
3/10	31	32	37
4/0	32	34	38

Flush Hollow Core (lbs. Per SF)

1.2

1-3/8 Hollow Core Legacy Doors			
	6/8	7/0	8/0
1/0	10	10	12
1/6	14	15	16
1/8	15	16	18
1/10	17	17	20
2/0	18	19	21
2/2	19	20	23
2/4	21	22	24
2/6	22	23	26
2/8	23	24	28
2/10	25	26	29
3/0	26	27	31
3/2	27	29	N/A
3/4	29	30	N/A
3/6	30	31	N/A
3/8	N/A	N/A	N/A
3/10	N/A	N/A	N/A
4/0	N/A	N/A	N/A

Legacy Hollow Core = HC Flush + aprox. 2lbs

HC Molded not available in all listed sizes.  
Please consult details by door design.

1-3/8 Hollow Core Molded Doors			
	6/8	7/0	8/0
1/0	15	15	17
1/6	19	20	21
1/8	20	21	23
1/10	22	22	25
2/0	23	24	26
2/2	24	25	28
2/4	26	27	29
2/6	27	28	31
2/8	28	29	33
2/10	30	31	34
3/0	31	32	36
3/2	32	34	N/A
3/4	34	35	N/A
3/6	35	36	N/A
3/8	N/A	N/A	N/A
3/10	N/A	N/A	N/A
4/0	N/A	N/A	N/A

Molded Hollow Core = HC Flush + aprox. 5lbs

HC Molded not available in all listed sizes.  
Please consult details by door design.

### 1-3/4 Hollow Core Flush and Molded Door Weights By Door Size

1-3/4 Hollow Core Flush Doors			
	6/8	7/0	8/0
1/0	9	10	11
1/6	14	15	17
1/8	16	16	19
1/10	17	18	21
2/0	19	20	22
2/2	20	21	24
2/4	22	23	26
2/6	23	25	28
2/8	25	26	30
2/10	26	28	32
3/0	28	29	34
3/2	30	31	35
3/4	31	33	37
3/6	33	34	39
3/8	34	36	41
3/10	36	38	43
4/0	37	39	45

Flush Hollow Core (lbs. Per SF)      1.4

1-3/4 Hollow Core Molded Doors			
	6/8	7/0	8/0
1/0	14	15	16
1/6	19	20	22
1/8	21	21	24
1/10	22	23	26
2/0	24	25	27
2/2	25	26	29
2/4	27	28	31
2/6	28	30	33
2/8	30	31	35
2/10	31	33	37
3/0	33	34	39
3/2	35	36	N/A
3/4	36	38	N/A
3/6	38	39	N/A
3/8	N/A	N/A	N/A
3/10	N/A	N/A	N/A
4/0	N/A	N/A	N/A

Molded Hollow Core = HC Flush + aprox. 5lbs

HC Molded not available in all listed sizes.  
Please consult details by door design.

## Solid Particleboard and Safe N Sound Core Door Weights By Door Size

1-3/8 SPC Flush Doors			
	6/8	7/0	8/0
1/0	25	27	30
1/6	38	40	46
1/8	42	44	51
1/10	46	49	56
2/0	51	53	61
2/2	55	58	66
2/4	59	62	71
2/6	63	67	76
2/8	68	71	81
2/10	72	75	86
3/0	76	80	91
3/2	80	84	96
3/4	84	89	101
3/6	89	93	106
3/8	93	98	111
3/10	97	102	117
4/0	101	106	122

1-3/8 SPC Flush Doors (lbs. Per SF)

3.8

1-3/8 SNS Core Molded Doors			
	6/8	7/0	8/0
1/0	22	--	--
1/6	33	--	--
1/8	35	--	--
1/10	39	--	--
2/0	43	--	--
2/2	46	--	--
2/4	50	--	--
2/6	54	--	--
2/8	57	--	--
2/10	61	--	--
3/0	63	--	--
3/2	68	--	--
3/4	72	--	--
3/6	75	--	--
3/8	--	--	--
3/10	--	--	--
4/0	--	--	--

1-3/4 SPC Flush Doors			
	6/8	7/0	8/0
1/0	32	34	38
1/6	48	50	58
1/8	53	56	64
1/10	59	62	70
2/0	64	67	77
2/2	69	73	83
2/4	75	78	90
2/6	80	84	96
2/8	85	90	102
2/10	91	95	109
3/0	96	101	115
3/2	101	106	122
3/4	107	112	128
3/6	112	118	134
3/8	117	123	141
3/10	123	129	147
4/0	128	134	154

SPC Flush Doors (lbs. Per SF)

4.8

### 1-3/8 and 1-3/4 Wood Stave Core Door Weights By Door Size

1-3/8 Wood Stave Core Flush Doors			
	6/8	7/0	8/0
1/0	23	24	27
1/6	34	36	41
1/8	38	40	45
1/10	42	44	50
2/0	45	48	54
2/2	49	52	59
2/4	53	56	63
2/6	57	60	68
2/8	60	63	73
2/10	64	67	77
3/0	68	71	82
3/2	72	75	86
3/4	76	79	91
3/6	79	83	95
3/8	83	87	100
3/10	87	91	104
4/0	91	95	109

1-3/8 Wood Stave (lbs. Per SF) 3.4

1-3/4 Wood Stave Core Flush Doors			
	6/8	7/0	8/0
1/0	29	30	34
1/6	43	45	52
1/8	48	50	57
1/10	53	55	63
2/0	57	60	69
2/2	62	65	75
2/4	67	70	80
2/6	72	75	86
2/8	76	80	92
2/10	81	85	97
3/0	86	90	103
3/2	91	95	109
3/4	96	100	115
3/6	100	105	120
3/8	105	110	126
3/10	110	115	132
4/0	115	120	138

1-3/4 Wood Stave (lbs. Per SF) 4.3

HC Molded not available in all listed sizes.  
Please consult details by door design.

## Fire Door Weights by Door Size

**Fire Door Weights By Door Size**

1-3/4 Fire Core Flush Doors			
	6/8	7/0	8/0
1/0	32	34	38
1/6	48	50	58
1/8	53	56	64
1/10	59	62	70
2/0	64	67	77
2/2	69	73	83
2/4	75	78	90
2/6	80	84	96
2/8	85	90	102
2/10	91	95	109
3/0	96	101	115
3/2	101	106	122
3/4	107	112	128
3/6	112	118	134
3/8	117	123	141
3/10	123	129	147
4/0	128	134	154

Fire Door Core (lbs. Per SF)                      4.8

## Square Footage By Door Size

	6/8	7/0	8/0	inches (w)
1/0	6.667	7.000	8.000	12
1/6	10.000	10.500	12.000	18
1/8	11.111	11.667	13.333	20
1/10	12.222	12.833	14.667	22
2/0	13.333	14.000	16.000	24
2/2	14.444	15.167	17.333	26
2/4	15.556	16.333	18.667	28
2/6	16.667	17.500	20.000	30
2/8	17.778	18.667	21.333	32
2/10	18.889	19.833	22.667	34
3/0	20.000	21.000	24.000	36
3/2	21.111	22.167	25.333	38
3/4	22.222	23.333	26.667	40
3/6	23.333	24.500	28.000	42
3/8	24.444	25.667	29.333	44
3/10	25.556	26.833	30.667	46
4/0	26.667	28.000	32.000	48
inches	80	84	96	